*Printing date 03/14/2018* 



Reviewed on 06/20/2017

## **1** Identification

- · Product identifier
- · Trade name: 38403 Blenz In
- · Article number: 38403
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust\_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

• Emergency telephone number: CHEMTREC 1-800-424-9300

#### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

GHS08 Health hazard

Repr. 2H361 Suspected of damaging fertility or the unborn child.STOT RE 2H373 May cause damage to organs through prolonged or repeated exposure.

GHS07

Eye Irrit. 2AH319 Causes serious eye irritation.STOT SE 3H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



(Contd. on page 2)

USA

Printing date 03/14/2018

Safety Data Sheet acc. to OSHA HCS



Page 2/12

Reviewed on 06/20/2017

#### Trade name: 38403 Blenz In

Signal word Da	nger (Contd. of page
	ining components of labeling:
acetone	
toluene	
Hazard stateme	nts
	flammable aerosol.
	gas under pressure; may explode if heated.
	rious eye irritation.
	of damaging fertility or the unborn child.
	e drowsiness or dizziness.
	e damage to organs through prolonged or repeated exposure.
Precautionary s	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
1 303+1 331+1	and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Classification sy	
NFPA ratings (	scale 0 - 4)
н	lealth = 2
	ire = 4
	eactivity = 0
HMIS-ratings (	<i>iscale 0 - 4)</i>
HEALTH 2	Health = 2
	Fire = 4
	Reactivity = 0
	acucuruy — o
Other hazards	
	and vPvB assessment
PBT: Not applie	
vPvB: Not appli	icable

(Contd. on page 3)





Reviewed on 06/20/2017

#### Trade name: 38403 Blenz In

(Contd. of page 2)

Description	nsisting of the following components.	
0 1	components:	
67-64-1	acetone	30-40%
108-94-1	cyclohexanone	13-30%
68476-86-8	Petroleum gases, liquefied, sweetened	13-30%
108-88-3	toluene	1.5-5%

#### 4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

## **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- **Reference** to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

USA



# END Reviewed on 06/20/2017

Protective	e Action Criteria for Chemicals	(Contd. of page 2
PAC-1:		
67-64-1	acetone	200 ppn
108-94-1	cyclohexanone	60 ppm
108-88-3	toluene	67 ppm
763-69-9	ethyl 3-ethoxypropionate	1.6 ppm
PAC-2:	·	
67-64-1	acetone	3200* ppr
108-94-1	cyclohexanone	830 ppm
108-88-3	toluene	560 ppm
763-69-9	ethyl 3-ethoxypropionate	18 ppm
PAC-3:		
67-64-1	acetone	5700* ppr
108-94-1	cyclohexanone	5000* ppr
108-88-3	toluene	3700* ppr
763-69-9	ethyl 3-ethoxypropionate	110 ppm

#### 7 Handling and storage

#### · Handling:

· Precautions for safe handling No special measures required.

· Information about protection against explosions and fires:

- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

(Contd. on page 5)



Reviewed on 06/20/2017

SEM

#### Trade name: 38403 Blenz In

REI	(Contd. of pag Long-term value: 590 mg/m <sup>3</sup> , 250 ppm
	Short-term value: 1187 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 594 mg/m <sup>3</sup> , 250 ppm
	BEI
108-9	94-1 cyclohexanone
PEL	Long-term value: 200 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 100 mg/m <sup>3</sup> , 25 ppm
	Skin
TLV	Long-term value: 50 mg/m <sup>3</sup> , 20 ppm
	Skin
108-8	88-3 toluene
PEL	Long-term value: 200 ppm
	Ceiling limit value: 300; 500* ppm
	*10-min peak per 8-hr shift
	Short-term value: 560 mg/m³, 150 ppm
	Long-term value: 375 mg/m³, 100 ppm
	Long-term value: 75 mg/m³, 20 ppm
	BEI
-	edients with biological limit values:
67-64	4-1 acetone
	50 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)
	94-1 cyclohexanone
	80 mg/L Medium: urine
	Time: end of shift at end of workweek
	Parameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)
	8 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Cyclohexanol with hydrolysis (nonspecific, semi-quantitative)
	88-3 toluene
	0.02 mg/L Medium: blood
	Meatum: blood Time: prior to last shift of workweek
	Parameter: Toluene
ľ	
	0.03 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Toluene
	0.3 mg/g creatinine
	Medium: urine
17	Time: end of shift
	Parameter: o-Cresol with hydrolysis (background)

Printing date 03/14/2018

Reviewed on 06/20/2017

#### Trade name: 38403 Blenz In

(Contd. of page 5) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eve protection: Safety glasses Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance:

 

 Form:
 Aerosol

 Color:
 According to product specification

 · Odor:
 Characteristic

 · Odor threshold:
 Not determined.

 · pH-value:
 Not determined.

 · Change in condition Melting point/Melting range:
 Undetermined.

(Contd. on page 7)

Page 6/12



Reviewed on 06/20/2017

Trade name: 38403 Blenz In

	(Contd. of page 6
Boiling point/Boiling range:	55 °C
· Flash point:	-103 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	420 °C
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
· Explosion limits:	
Lower:	1.3 Vol %
Upper:	13 Vol %
• Vapor pressure at 20 •C:	233 hPa
· Density at 20 •C:	0.74651 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
$\cdot$ Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	tter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	96.4 %
VOC content:	58.12 %
	679.4 g/l / 5.67 lb/gl
Solids content:	3.6 %
• Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)



Printing date 03/14/2018

Trade name: 38403 Blenz In

(Contd. of page 7)

Page 8/12

Informatio	on on toxic	cological effects
Acute toxi	Į	
		t are relevant for classification:
108-94-1 с	-	
Oral	LD50	1,535 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)
Inhalative	LC50/4 h	8,000 mg/l (rat)
108-88-3 t	oluene	
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/l (mouse)
Additional	1: No irrita : Irritating on: No sen toxicologi ct shows th	int effect. effect. isitizing effects known. i <b>cal information:</b> he following dangers according to internally approved calculation methods for preparation
-	-	Agency for Research on Cancer)
108-94-1	cyclohexan	ione
108-88-3	toluene	
NTP (Nati	onal Toxic	cology Program)
		nts is listed.

## **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  **Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)



*Printing date 03/14/2018* 

Trade name: 38403 Blenz In

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1950
· UN proper shipping name	
·DOT	Aerosols, flammable
ADR	1950 Aerosols
· IMDG	AEROSOLS
·IATA	AEROSOLS, flammable
· Transport hazard class(es)	
·DOT	
E-AMINESE AND	
· Class	2.1
· Label	2.1
ADR	
$\mathbf{V}$	
· Class	2 5F Gases
· Label	2.1
· IMDG, IATA	
8	
V	
· Class	2.1
· Label	2.1
· Packing group	
· DOT, ADR, IMDG, IATA	Void

Reviewed on 06/20/2017

(Contd. of page 8)



Reviewed on 06/20/2017

SEM

Trade name: 38403 Blenz In

	(Contd. of page 9
• Environmental hazards: • Marine pollutant:	No
$\cdot$ Special precautions for user	Warning: Gases
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre
	Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre
	Segregation as for class 9. Stow "separated from" class 1 except for
	division 1.4. For AEROSOLS with a capacity above 1 litre
	Segregation as for the appropriate subdivision of class 2. For
	WASTE AEROSOLS: Segregation as for the appropriate subdivision
	of class 2.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
· ADR	
· ADR · Excepted quantities (EQ)	Code: E0
	Code: E0 Not permitted as Excepted Quantity
	Couci 20
· Excepted quantities (EQ)	Couci 20
• Excepted quantities (EQ)	Not permitted as Excepted Quantity
• Excepted quantities (EQ) • IMDG • Limited quantities (LQ)	Not permitted as Excepted Quantity 1L

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

Section 355 (extremely hazardous substances):

 None of the ingredient is listed.

 Section 313 (Specific toxic chemical listings):

 108-88-3
 toluene

 TSCA (Toxic Substances Control Act):

 67-64-1
 acetone
 108-88-3
 toluene

 108-88-3 toluene
 67-64-1 acetone
 108-88-3 toluene
 108-88-3 toluene
 (Contd. on page 11)



Reviewed on 06/20/2017

Printing date 03/14/2018

## Trade name: 38403 Blenz In

	lst Century Act) (Substances not listed)	
	Petroleum gases, liquefied, sweetened	
	· · ·	
Proposition 6:		
	own to cause cancer:	
None of the in	gredients is listed.	
	own to cause reproductive toxicity for females:	
None of the in	gredients is listed.	
· Chemicals kn	own to cause reproductive toxicity for males:	
None of the in	gredients is listed.	
· Chemicals kn	own to cause developmental toxicity:	
108-88-3 tolu		
· Cancerogenity	y categories	
	mental Protection Agency)	
67-64-1 ace	<b>o</b>	
108-88-3 tolu		
	old Limit Value established by ACGIH)	
67-64-1 ace		
108-94-1 cycl		
108-88-3 tolu	ene	
· NIOSH-Ca (N	Vational Institute for Occupational Safety and Health)	
None of the in	<b>1</b> · · · <b>1</b> · · · <b>1</b>	
GHS label ele	gredients is listed. <b>ments</b> The product is classified and labeled according to the Globally Harmonized <b>rams</b>	d System (GH
· GHS label ele	ments The product is classified and labeled according to the Globally Harmonized	d System (GH
GHS label ele Hazard pictog	ments The product is classified and labeled according to the Globally Harmonized	d System (GH
GHS label ele Hazard pictog GHS02 GH	ments The product is classified and labeled according to the Globally Harmonized rams HS04 GHS07 GHS08	d System (GH
GHS label ele Hazard pictog GHS02 GH	ments The product is classified and labeled according to the Globally Harmonized rams HS04 GHS07 GHS08	d System (GH
GHS label ele Hazard pictog GHS02 GH	ments The product is classified and labeled according to the Globally Harmonized rams HS04 GHS07 GHS08	d System (GH
• GHS label ele • Hazard pictog GHS02 GH • Signal word L • Hazard-deterr	ments The product is classified and labeled according to the Globally Harmonized rams HS04 GHS07 GHS08	d System (GH
• GHS label ele • Hazard pictog • GHS02 GH • Signal word L • Hazard-deterr acetone toluene • Hazard staten	ments The product is classified and labeled according to the Globally Harmonized rams HS04 GHS07 GHS08 Danger nining components of labeling:	d System (GH
• GHS label ele • Hazard pictog • GHS02 GH • Signal word L • Hazard-deterr acetone toluene • Hazard staten	ments The product is classified and labeled according to the Globally Harmonized rams HS04 GHS07 GHS08 Danger nining components of labeling:	d System (GH
GHS label ele     Hazard pictog     GHS02 GH     GHS02 GH     Signal word L     Hazard-detern     acetone     toluene     Hazard staten     H222 Extreme     H280 Contain	ments The product is classified and labeled according to the Globally Harmonize rams HS04 GHS07 GHS08 Danger nining components of labeling: Hy flammable aerosol. s gas under pressure; may explode if heated.	d System (GH
GHS label ele     Hazard pictog     GHS02 GH     GHS02 GH     Signal word L     Hazard-detern     acetone     toluene     Hazard staten     H222 Extreme     H280 Contain	ments The product is classified and labeled according to the Globally Harmonize rams A A A A A A A A A A A A A A A A A A A	d System (GH
GHS label ele Hazard pictog GHS02 GH Signal word L Hazard-deterr acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes	ments The product is classified and labeled according to the Globally Harmonize rams HS04 GHS07 GHS08 Danger nining components of labeling: Hy flammable aerosol. s gas under pressure; may explode if heated.	d System (GH
GHS label ele Hazard pictog GHS02 GH Signal word L Hazard-deterr acetone toluene Hazard statem H222 Extreme H280 Contain H319 Causes H361 Suspecto	ments The product is classified and labeled according to the Globally Harmonize rams HS04 GHS07 GHS08 Danger nining components of labeling: Hy flammable aerosol. s gas under pressure; may explode if heated. serious eye irritation.	d System (GH
GHS label ele Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecte H336 May cau	ments The product is classified and labeled according to the Globally Harmonize. rams HS04 GHS07 GHS08 Danger nining components of labeling:	d System (GH
GHS label ele Hazard pictog Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecta H336 May cau H373 May cau	ments The product is classified and labeled according to the Globally Harmonize rams HS04 GHS07 GHS08 Danger nining components of labeling: Hy flammable aerosol. s gas under pressure; may explode if heated. serious eye irritation. ed of damaging fertility or the unborn child. use drowsiness or dizziness. use damage to organs through prolonged or repeated exposure.	d System (GH
GHS label ele Hazard pictog Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecta H336 May cau H373 May cau	ments The product is classified and labeled according to the Globally Harmonize rams HS04 GHS07 GHS08 Danger nining components of labeling: Hy flammable aerosol. s gas under pressure; may explode if heated. serious eye irritation. ed of damaging fertility or the unborn child. use drowsiness or dizziness. use damage to organs through prolonged or repeated exposure.	d System (GH
GHS label ele Hazard pictog Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecta H336 May cau H373 May cau	ments The product is classified and labeled according to the Globally Harmonize rams	d System (GH
GHS label ele Hazard pictog Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecto H336 May cau H373 May cau Precautionary P201	ments The product is classified and labeled according to the Globally Harmonized rams Volume Constraints HS04 GHS07 GHS08 Danger nining components of labeling: Hy flammable aerosol. Is gas under pressure; may explode if heated. Is gas under pressure; may explode or repeated exposure. Is damage to organs through prolonged or repeated exposure. Is statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.	d System (GH
GHS label ele Hazard pictog Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecte H336 May cau H373 May cau H373 May cau Precautionary P201 P202	ments The product is classified and labeled according to the Globally Harmonize rams	d System (GH
GHS label ele Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecte H336 May cau H373 May cau H373 May cau Precautionary P201 P202 P210	ments The product is classified and labeled according to the Globally Harmonize rams	d System (GH
GHS label ele Hazard pictog GHS02 GH Signal word L Hazard-detern acetone toluene Hazard staten H222 Extreme H280 Contain H319 Causes H361 Suspecte H336 May cau H373 May cau H373 May cau Precautionary P201 P202 P210 P211	ments The product is classified and labeled according to the Globally Harmonize rams	d System (GH



Reviewed on 06/20/2017

Printing date 03/14/2018

#### Trade name: 38403 Blenz In

	(Contd. of page 11)
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
~	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/14/2018 / 10

```
• Abbreviations and acronyms:
```

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

*VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent* 

- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- BEI: Biological Exposure Limit
- Flam. Aerosol 1: Aerosols Category 1
- Press. Gas: Gases under pressure Compressed gas Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Repr. 2: Reproductive toxicity Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- STOT RE 2: Specific target organ toxicity (single exposure) Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- $\cdot$  \* Data compared to the previous version altered.